

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/770,619	02/02/2004	Yoshinori Tsubaki	04072/HG	2307	
1933	7590 08/02/2006		EXAMINER		
FRISHAUF, HOLTZ, GOODMAN & CHICK, PC			SCHWARTZ,	SCHWARTZ, PAMELA R	
220 Fifth Ave 16TH Floor	enue		ART UNIT	PAPER NUMBER	
NEW YORK, NY 10001-7708			1774		
			DATE MAILED: 08/02/2000	6	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/770,619	TSUBAKI ET AL.	
Office Action Summary	Examiner	Art Unit	
	Pamela R. Schwartz	1774	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	lely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) ☐ Responsive to communication(s) filed on 25 M 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under E	action is non-final.		
Disposition of Claims			
4) ☐ Claim(s) 1-19 and 21 is/are pending in the app 4a) Of the above claim(s) 17-19 is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-16 and 21 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) 1-19 and 21 are subject to restriction	n from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the following(s) be held in abeyance. See ion is required if the drawing(s) is object.	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list 	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s) 1) ☑ Notice of References Cited (PTO-892)	4) Interview Summary		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5/11/06	Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:	ate : atent Application (PTO-152)	

Application/Control Number: 10/770,619

Art Unit: 1774

1. The examiner has carefully considered the entire record, including applicants' remarks and declaration filed with the most recent response. Upon careful reconsideration of the Held reference, the examiner believes that the ratios presented at col. 10, lines 7-11 of the reference must be in error because they are inconsistent with the examples and unsupported at any other point in the specification. Consequently, all rejections over Held et al. have been withdrawn. Due to the breadth of some of the claims, however, the examiner has determined that the following rejections are applicable. It is noted that some of the claims have only been rejected under provisional obviousness type double patenting.

Page 2

2. Claim 1-5, 14-16 and 21 are is rejected under 35 U.S.C. 103(a) as being unpatentable over Hann et al. (6,838,136) in view of Liu et al. (US 2003/0099816). The primary reference discloses an ink jet recording sheet having a substrate coated with a radiation curable material and particulate material wherein the ratio of particulate material to radiation curable material is greater than 1:1 (col. 2, lines 40-48). The radiation curable material is a difunctional urethane acrylate and the particulate material may be precipitated silica, silica gels or fumed silica with a particle size of 300 nm or less (col. 3, lines 5-49). The support may be non water-absorptive (col. 4, lines 3-51). The medium will inherently have a capacity as set forth in claim 1 because the medium is porous with a particle to binder ratio consistent with the instant claims.

Liu et al. disclose an ink jet recording material containing silica. The silica may be made by a wet process, including the gelation method, or a dry process [0048-0049]. The silica may have a BET specific surface area of 25 to 400 m²/g [0050]. The

reference discloses pulverizing or dividing particles that are larger in size than desired due to agglomeration of primary particles [0057, 0061, 0062, 0064]. The reference discloses desired sizes of secondary particles of 10-300 nm and 5-30 nm for primary particles [0064-0066]. While the reference does not disclose a coefficient of variation in primary particle distribution, it discloses determining the particle size of the primary particles [0063] and the importance of maintaining primary particle size in specific ranges [0066]. Since it is known in the art to control particle size distribution in order to control the size and shape of pores formed between the particles, it would have been obvious to one of ordinary skill in the art, from the disclosure of the reference at [0066] to narrowly control particle size distribution in order to obtain desired and favorable ink absorption characteristics. It would have been obvious to one of ordinary skill in the art to select a silica from those disclosed for use in this art by the secondary reference since particulars for the silica of the primary reference were not disclosed and since the silica of the primary and secondary reference serve equivalent purposes in the recording layers of the references.

3. Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hann et al. (6,838,136) as applied above, and further in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281).

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol

density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of high void volume. With respect to particles size, '941 specifically sets forth the primary particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

4. Claims 1-5, 14-16 and 21 rejected under 35 U.S.C. 103(a) as being unpatentable over Pekala et al. (WO 99/21723) in view of Liu et al. (US 2003/0099816). Pekala et al. disclose a radiation crosslinked printing medium having a water soluble binder, such as polyvinyl alcohol (p. 1, lines 19-24, p. 5, line 8 to p. 6, line 17) and filler particles (p. 9, lines 5- p. 12, line 20). The filler particles may be colloidal silica with a maximum dimension less that 100 nm. The filler may be 20 to 80 percent of the coating, therefore, at higher percentages of filler, the instant limitation to absorption capacity will inherently be met. The support may be non-porous (see p. 13, lines 13-15).

Liu et al. disclose an ink jet recording material containing silica. The silica may be made by a wet process, including the gelation method, or a dry process [0048-0049]. The silica may have a BET specific surface area of 25 to 400 m²/g [0050]. The reference discloses pulverizing or dividing particles that are larger in size than desired due to agglomeration of primary particles [0057, 0061, 0062, 0064]. The reference discloses desired sizes of secondary particles of 10-300 nm and 5-30 nm for primary

particles [0064-0066]. While the reference does not disclose a coefficient of variation in primary particle distribution, it discloses determining the particle size of the primary particles [0063] and the importance of maintaining primary particle size in specific ranges [0066]. Since it is known in the art to control particle size distribution in order to control the size and shape of pores formed between the particles, it would have been obvious to one of ordinary skill in the art, from the disclosure of the reference at [0066] to narrowly control particle size distribution in order to obtain desired and favorable ink absorption characteristics. It would have been obvious to one of ordinary skill in the art to select a silica from those disclosed for use in this art by the secondary reference since particulars for the silica of the primary reference were not disclosed and since the silica of the primary and secondary reference serve equivalent purposes in the recording layers of the references.

5. Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pekala et al. (WO 99/21723) as applied to claims 1-4 above and further in view of Kobayashi et al. (6,761,941 or 5,612,281).

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of

high void volume. With respect to particles size, '941 specifically sets forth the primary particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

6. Claims 1-5, 8-10, 14-16 and 21 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-27 of copending Application No. 10/699,343. Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending application claims an ink jet recording sheet having a support and a porous layer includes hydrophilic binder crosslinked with ionizing radiation and microparticles with a binder to particle ratio of 1:5 to 1:15. The binder polymer is crosslinked through side chains and has a polymerization degree as instantly claimed. While detail of the particles and support are not claimed, looking to the specification to see what is intended for the claimed support and particles, they are the same as instantly claimed [0069-0072, 0117].

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

7. Claims 1-5, 8, 9, 11, 12, 13, 15 and 21 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 of copending Application No. 10/886,433 in view of Liu et al. (US 2003/0099816). The copending application recites in its claims an ink jet recording

sheet having a layer comprising a hydrophilic binder and an inorganic pigment that is gas-phase silica. The binder is recited as cross-linked with ionizing radiation. The claims of the application are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs. Claim 5 of the copending application recites that the support is non water-absorptive.

Liu et al. is relied upon as in paragraph 2 above for the particulars of the silica which have not been set forth by the claims of the copending application.

This is a provisional obviousness-type double patenting rejection.

8. Claims 6, 7, 10, 13 and 16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 of copending Application No. 10/886,433 in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281).

The copending application recites in its claims an ink jet recording sheet having a layer comprising a hydrophilic binder and an inorganic pigment that is gas-phase silica. The binder is recited as cross-linked with ionizing radiation. The claims of the application are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount

of cross-linking that occurs. Claim 5 of the copending application recites that the support is non water-absorptive.

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of high void volume. With respect to particles size, '941 specifically sets forth the primary particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

9. Claims 1-5, 8, 9, 11, 12, 14, 15 and 21 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over the claims of copending Application Nos. 10/643,349, 10/833,842, 10/855,525 and 10/823340 each taken in view of Liu et al. (US 2003/0099816). The copending applications recite an ink jet recording sheet having a layer comprising a hydrophilic binder and inorganic microparticles. The binder is recited as cross-linked with ionizing radiation. The claims of the applications are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side

Application/Control Number: 10/770,619

Art Unit: 1774

chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs.

With respect to 10/643,394, see claim 1 and the description of this embodiment at [0050-0052], 10/833,842, see claims 1-3, 10/855,525, see the claims and the description of the claimed embodiment at [0040,0049] and 10/823,340, see claims 1 and 2 and the description of the claimed embodiment at [0084]. It would have been obvious to one of ordinary skill in the art to determine the percentage of side chains on the hydrophilic polymer in order to control the degree of cross-linking that occurs at these sites. In each case a non-water absorptive support is either claimed or described in the specification concerning the claimed embodiment of the invention.

In each case, the particles are disclosed to be silica. Liu et al. is relied upon as in paragraph 2 above for the particulars of the silica which have not been set forth by the claims of the copending application.

This is a provisional obviousness-type double patenting rejection.

10. Claims 6, 7, 10, 13 and 16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over the claims of copending Application Nos. 10/643,349, 10/833,842, 10/855,525 and 10/823340 each taken in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281).

The copending applications recite an ink jet recording sheet having a layer comprising a hydrophilic binder and inorganic microparticles. The binder is recited as cross-linked with ionizing radiation. The claims of the applications are directed to the

Application/Control Number: 10/770,619 Page 10

Art Unit: 1774

same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs. With respect to 10/643,394, see claim 1 and the description of this embodiment at [0050-0052], 10/833,842, see claims 1-3, 10/855,525, see the claims and the description of the claimed embodiment at [0040,0049] and 10/823,340, see claims 1 and 2 and the description of the claimed embodiment at [0084].

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of high void volume. With respect to particles size, '941 specifically sets forth the primary particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

11. Applicant's arguments with respect to claims 1-16 and 21 have been considered but are most in view of the new ground(s) of rejection. From applicants' showings in the

Application/Control Number: 10/770,619 Page 11

Art Unit: 1774

declaration, it appears that the absorption is directly related to the ratio of particles to binder. Therefore, any of the media set forth above that disclose a particle to binder ratio as claimed are also considered to meet the new limitation added to the independent claims.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pamela Schwartz whose telephone number is (571) 272-1528.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye, can be reached on (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PRSchwartz July 29, 2006